

## MAPK3 Antibody (Y204)

Peptide Affinity Purified Rabbit Polyclonal Antibody (Pab)  
Catalog # AP7251e-400 □

### Specification

#### MAPK3 Antibody (Y204) - Product info

Application	WB
Primary Accession	<a href="#">P27361</a>
Other Accession	<a href="#">P39745</a> , <a href="#">P21708</a> , <a href="#">Q63844</a> , <a href="#">P26696</a> , <a href="#">P63086</a> , <a href="#">P63085</a> , <a href="#">P28482</a> , <a href="#">P46196</a> , <a href="#">P40417</a>
Reactivity	Human
Predicted	Drosophila, Bovine, Mouse, Rat, Xenopus, C.Elegans
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit Ig
Calculated MW	43136

#### MAPK3 Antibody (Y204) - Additional info

Gene ID 5595

#### Other Names

Mitogen-activated protein kinase 3, MAP kinase 3, MAPK 3, ERT2, Extracellular signal-regulated kinase 1, ERK-1, Insulin-stimulated MAP2 kinase, MAP kinase isoform p44, p44-MAPK, Microtubule-associated protein 2 kinase, p44-ERK1, MAPK3, ERK1, PRKM3

#### Target/Specificity

This MAPK3 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 182-211 amino acids from human MAPK3.

#### Dilution

WB~~1:1000

#### Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

#### Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.


#### Precautions

MAPK3 Antibody (Y204) is for research use only and not for use in diagnostic or therapeutic procedures.

#### MAPK3 Antibody (Y204) - Protein Information

Name MAPK3

Synonyms ERK1, PRKM3



## Function

Serine/threonine kinase which acts as an essential component of the MAP kinase signal transduction pathway. MAPK1/ERK2 and MAPK3/ERK1 are the 2 MAPKs which play an important role in the MAPK/ERK cascade. They participate also in a signaling cascade initiated by activated KIT and KITLG/SCF. Depending on the cellular context, the MAPK/ERK cascade mediates diverse biological functions such as cell growth, adhesion, survival and differentiation through the regulation of transcription, translation, cytoskeletal rearrangements. The MAPK/ERK cascade plays also a role in initiation and regulation of meiosis, mitosis, and postmitotic functions in differentiated cells by phosphorylating a number of transcription factors. About 160 substrates have already been discovered for ERKs. Many of these substrates are localized in the nucleus, and seem to participate in the regulation of transcription upon stimulation. However, other substrates are found in the cytosol as well as in other cellular organelles, and those are responsible for processes such as translation, mitosis and apoptosis. Moreover, the MAPK/ERK cascade is also involved in the regulation of the endosomal dynamics, including lysosome processing and endosome cycling through the perinuclear recycling compartment (PNRC); as well as in the fragmentation of the Golgi apparatus during mitosis. The substrates include transcription factors (such as ATF2, BCL6, ELK1, ERF, FOS, HSF4 or SPZ1), cytoskeletal elements (such as CANX, CTTN, GJA1, MAP2, MAPT, PXN, SORBS3 or STMN1), regulators of apoptosis (such as BAD, BTG2, CASP9, DAPK1, IER3, MCL1 or PPARG), regulators of translation (such as EIF4EBP1) and a variety of other signaling-related molecules (like ARHGEF2, FRS2 or GRB10). Protein kinases (such as RAF1, RPS6KA1/RSK1, RPS6KA3/RSK2, RPS6KA2/RSK3, RPS6KA6/RSK4, SYK, MKNK1/MNK1, MKNK2/MNK2, RPS6KA5/MSK1, RPS6KA4/MSK2, MAPKAPK3 or MAPKAPK5) and phosphatases (such as DUSP1, DUSP4, DUSP6 or DUSP16) are other substrates which enable the propagation the MAPK/ERK signal to additional cytosolic and nuclear targets, thereby extending the specificity of the cascade.

## Cellular Location

Cytoplasm. Nucleus. Membrane, caveola  
{ECO:0000250|UniProtKB:P21708}. Note=Autophosphorylation at Thr- 207 promotes nuclear localization

## MAPK3 Antibody (Y204) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [□Western Blot](#)
- [□Blocking Peptides](#)
- [□Dot Blot](#)
- [□Immunohistochemistry](#)
- [□Immunofluorescence](#)
- [□Immunoprecipitation](#)
- [□Flow Cytometry](#)
- [□Cell Culture](#)

## MAPK3 Antibody (Y204) - Background

MAPK3 is a member of the MAP kinase family. MAP kinases, also known as extracellular signal-regulated kinases (ERKs), act in a signaling cascade that regulates various cellular processes such as proliferation, differentiation, and cell cycle progression in response to a variety of extracellular signals. This kinase is activated by upstream kinases, resulting in its translocation to the nucleus where it phosphorylates nuclear targets.

## MAPK3 Antibody (Y204) - References

Munshi, H.G., et al., J. Biol. Chem. 279(37):39042-39050 (2004).  
Mukherjee, S., et al., Infect. Immun. 72(9):5274-5282 (2004).  
Sebkova, L., et al., Infect. Immun. 72(9):5019-5026 (2004). Huang,  
H.M., et al., Biochem. Biophys. Res. Commun. 320(4):1247-1252  
(2004). Mizuno, S., et al., Am. J. Respir. Cell Mol. Biol. 31(2):184-192  
(2004).

MAPK3 Antibody (Y204) - Citations

- [Regulation of mechanical stress-induced MMP-13 and ADAMTS-5 expression by RUNX-2 transcriptional factor in SW1353 chondrocyte-like cells.](#)